Coyote popup display options

4ft tabletop
(1x1)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available



6ft tabletop
(2x1)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available



8ft tabletop
(3x1)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available

6ft tabletop
(2x2)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available

8ft tabletop
(3x2)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available

watch video

Coyote popup display options

4ft display
(1x3)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available

6ft display
(2x3)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- curved and straight frames available



8ft display
(3x3)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- available with OCP
- curved and straight frames available



10ft display
(4x3)

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- available with OCP



Gullwing

options:
- frame kit
- frame with fabric endcap kit
- full fabric kit
- full graphic kit
- available with OCP

Coyote popup display options



8ft Serpentine

options:
- frame kit
- full fabric kit
- full graphic kit
- available with OCP



10ft Serpentine

options:
- frame kit
- full fabric kit
- full graphic kit
- available with OCP



20ft Serpentine

options:
- frame kit
- full fabric kit
- full graphic kit
- available with OCP



Horseshoe

options:
- frame kit
- full fabric kit
- full graphic kit
- available with OCP



Deluxe Horseshoe

options:
- frame kit
- full fabric kit
- full graphic kit
- available with OCP

Coyote popup features

The Coyote popup display system combines strength, reliablility, and style in a lightweight and easy to use system. It is fully magnetic, making it simple to assemble and disassemble, and is available in a wide range of sizes and configurations.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- Some kits include stylish 120 watt floodlights (LED lighting available)
- Available in a variety of sizes and configurations
- Collapses to a fraction of its size
- Choice of two protective plastic wheeled molded shipping cases
- Eco-fi fabric panels, direct-to-substrate, or U.V. printed graphic panels
- Accomodates a variety of accessories such as back lit tower, internal shelving, bubble panel, and case to counter conversion kits
- Unconditional lifetime warranty on frame against manufacturer defects

fabric color options:

Regal - smooth textured fabric

R02 Chrome	R03 Storm	R11 Chili Pepper	R04 Sapphire	R01 Carbon	R05 Electric Blue

Premier - ribbed display fabric

R12 Nebula	R04 Monarch	R28 Persian	R06 Indigo	R31 Eco Green	R29 Beach
R30 Maroon	R11 Electric	R02 Steel	R03 Charcoal	R15 Cinder	R01 Lava

Coyote popup accessories

OCP
Fabric Counter Conversion Kit

OCP
Graphic Case to Counter

OCP
Stretch Wrap Case to Counter

Bubble Panel

OCP2
Fabric Counter Conversion Kit

OCP2
Graphic Case to Counter

OCP2
Stretch Wrap Case to Counter

Monitor Mount

OCP Elite
Fabric Counter Conversion Kit

OCP Elite
Graphic Case to Counter

OCP Elite
Stretch Wrap Case to Counter

Internal Shelf Kit

Coyote Tower

Coyote straight and curved tabletop popup display specs

	Straight 4ft (1x1)	Straight 6ft (2x1)	Straight 8ft (3x1)	Straight 6ft (2x2)	Straight 8ft (3x2)
Footprint	41.827"w x 30.625"h x 13"d	70.7"w x 30.625"h x 13"d	99.58"w x 30.625"h x 13"d	69.3"w x 59.375"h x 13"d	94.5"w x 59.375"h x 13"d
Graphic	center: 28.875"w x 30.625"h endcaps: 23.5"w x 30.625"h total: 75.875"w x 30.625"h	center: 57.75"w x 30.625"h endcaps: 23.5"w x 30.625"h total: 104.75"w x 30.625"h	center: 86.625"w x 30.625"h endcaps: 23.5"w x 30.625"h total: 133.625"w x 30.625"h	center: 57.75"w x 58.6875"h endcaps: 23.5"w x 30.625"h total: 104.75"w x 58.6875"h	center: 86.625"w x 58.6875"h endcaps: 23.5"w x 58.6875"h total: 133.625"w x 58.6875"h
Shipping	OCP ELITE: 27"w x 39"h 18"d / 44 lbs OCP: 26"w x 40"h x 18"d / 34 lbs	OCP ELITE: 27"w x 39"h x 18"d / 51 lbs OCP: 26"w x 40"h x 18"d / 41 lbs	OCP ELITE: 27"w x 39"h x 18"d / 54 lbs OCP: 26"w x 40"h x 18"d / 44 lbs	OCP ELITE: 27"w x 39"h x 18"d / 65 lbs OCP: 26"w x 40"h x 18"d / 55 lbs	OCP ELITE: 27"w x 39"h x 18"d / 76 lbs OCP: 26"w x 40"h x 18"d / 66 lbs

	Curved 4ft (1x1)	Curved 6ft (2x1)	Curved 8ft (3x1)	Curved 6ft (2x2)	Curved 8ft (3x2)
Footprint	41.7"w x 30.625"h x 12.8"d	73"w x 30.625"h x 18.5"d	73"w x 30.625"h x 24.2"d	73"w x 59.375"h x 19.25"	103.25"w x 59.375"h x 24.2"d
Graphic	center: 26.5"w x 30.625"h endcaps: 23.5"w x 30.625"h total: 73.5"w x 30.625"h	center: 53"w x 30.625"h endcaps: 23.5"w x 30.625"h total: 100"w x 30.625"h	center: 79.5"w x 30.625"h endcaps: 126.5"w x 30.625"h total: 123.7"w x 30.625"h	center: 53"w x 58.6875"h endcaps: 23.5"w x 58.6875"h total: 100"w x 58.6875"h	center: 79.5"w x 58.6875"h endcaps: 126.5"w x 58.6875"h total: 123.7"w x 58.6875"h
Shipping	OCP ELITE: 27"w x 39"h 18"h / 44 lbs OCP: 26"w x 40"h x 18"d / 34 lbs	OCP ELITE: 27"w x 39"h x 18"d / 51 lbs OCP: 26"w x 40"h x 18"d / 41 lbs	OCP ELITE: 27"w x 39"h x 18"d / 54 lbs OCP: 26"w x 40"h x 18"d / 44 lbs	OCP ELITE: 27"w x 39"h x 18"d / 65 lbs OCP: 26"w x 40"h x 18"d / 55 lbs	OCP ELITE: 27"w x 39"h x 18"d / 76 lbs OCP: 26"w x 40"h x 18"d / 66 lbs

Coyote straight and curved popup display specs

	Straight 4ft (1x3)	**Straight 6ft (2x3)**	**Straight 8ft (3x3)**	**Straight 10ft (4x3)**
Footprint	41.8"w x 87.56"h x 13"d	70.7"w x 87.56"h x 13"d	99.6"w x 87.56"h x 13"d	128.5"w x 87.56"h x 13"d
Graphic	center: 28.875"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 75.875"w x 87.5625"h	center: 57.75"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 104.75"w x 87.5625"h	center: 86.625"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 133.625"w x 87.5625"h	center: 57.75"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 162.5"w x 87.5625"h
Shipping	OCP ELITE: 27"w x 39"h x 18"d / 58 lbs OCP: 26"w x 40"h x 18"d / 48 lbs	OCP ELITE: 27"w x 39"h x 18"d / 68 lbs OCP: 26"w x 40"h x 18"d / 58 lbs	OCP ELITE: 27"w x 39"h x 18"d / 78 lbs OCP: 26"w x 40"h x 18"d / 68 lbs	OCP ELITE: 27"w x 39"h x 8"d / 100 lbs OCP: 26"w x 40"h x 18"d / 90 lbs

	Curved 4ft (1x3)	**Curved 6ft (2x3)**	**Curved 8ft (3x3)**	 **Curved 10ft (4x3)**
Footprint	41.7"w x 87.56"h x 13"d	69.3"w x 87.56"h x 19.25"	94.5"w x 87.56"h x 24.4"d	117.5"w x 87.56"h x 35"d
Graphic	center: 26.5"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 73.5"w x 87.5625"h	center: 53"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 100"w x 87.5625"h	center: 79.5"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 126.5"w x 87.5625"h	center: 106"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 153"w x 87.5625"h
Shipping	OCP ELITE: 27"w x 39"h x 18"d / 58 lbs OCP: 26"w x 40"h x 18"d / 48 lbs	OCP ELITE: 27"w x 39"h x 18"d / 68 lbs OCP: 26"w x 40"h x 18"d / 58 lbs	OCP ELITE: 27"w x 39"h x 18"d / 78 lbs OCP: 26"w x 40"h x 18"d / 68 lbs	OCP ELITE: 27"w x 39"h x 18"d / 100 lbs OCP: 26"w x 40"h x 18"d / 90 lbs

Coyote popup display specs

	8’ Serpentine	**10’ Serpentine**	 **20’ Serpentine**
Footprint	97.6"w x 87.5625"h x 20.2"d	125.3"w x 87.5625"h x 21.6"d	219.5"w x 87.5625"h x 54.383"d
Graphic	center: 84.8125"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 132.8125"w x 87.5625"h	center: 116.625"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 164.625"w x 87.5625"h	(4) 4x3 front curved: 106"w x 87.5625"h (3) 3x3 rear curved: 95.4375"w x 87.5625"h (1) connector: 28.875"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 278.3125"w x 87.5625"h
Shipping	OCP ELITE: 27"w x 39"h x 18"d / 88 lbs OCP: 26"w x 40"h x 18"d / 78 lbs	OCP ELITE: 27"w x 39"h x 18"d / 93 lbs OCP: 26"w x 40"h x 18"d / 83 lbs	(2) OCP ELITE: 27"w x 39"h x 18"d / 211 lbs (2) OCP: 26"w x 40"h x 18"d / 191 lbs

	 **Horseshoe**	 **Deluxe Horseshoe**	 **Gullwing**
Footprint	125.2"w x 87.5625"h x 54.3"d	196.8"w x 87.5625"h x 61.282"d	229.4"w x 87.5625"h x 34.942"d
Graphic	(1) 3x3 straight frame: 86.625"w x 87.5625"h (4) 1x3 straight frames: 28.875"w x 87.5625"h (2) connectors: 10"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 270.125"w x 87.5625"h	(1) 3x3 straight frame: 86.625"w x 87.5625"h (4) 1x3 straight frames: 28.875"w x 87.5625"h (2) connectors: 10"w x 87.5625"h (4) endcaps: 23.5"w x 87.5625"h total: 316.125"w x 87.5625"h	(2) 4x3 straight frames: 106"w x 87.5625"h (1) connector: 24.5"w x 87.5625"h endcaps: 23.5"w x 87.5625"h total: 284.5"w x 87.5625"h
Shipping	(2) OCP ELITE: 27"w x 39"h x 18"d / 171 lbs (2) OCP: 26"w x 40"h x 18"d / 151 lbs	(2) OCP ELITE: 27"w x 39"h x 18"d / 211 lbs (2) OCP: 26"w x 40"h x 18"d / 212 lbs	(2) OCP ELITE: 27"w x 39"h x 18"d / 211 lbs (2) OCP: 26"w x 40"h x 18"d / 191 lbs

Coyote popup display set up instructions

Frame Assembly

1

Prepare frame for assembly by locating the purple hooks on top of the frame.

2



Stretch frame to size, snapping magnetic locking arms together.

3



Attach magnetic channel bars to circular magnets.

4



Frame is assembled.

Graphic Application

1

Attach panels starting with left curved endcap panel. Hook panel on purple hooks on front and back of frame. Attach rest of panel to magnetic channel bar.

2



Attach right curved endcap panel.

3

Attach graphic panels from left to right. Hook panels on purple hooks and apply panel to the magnetic channel bar.

4

Continue to attach remaining panels by hooking to purple hooks. Make sure all panel edges align with middle line on channel bars.

5

Graphic application is complete.

watch video

Coyote popup accessory instructions - Bubble Panel

Assembly

1



Assemble Coyote frame as directed on page 9.

2



Attach channel bars with L bracket on middle of frame. Hook bottom panel to frame and channel bar.

3



Hook middle panel to frame and channel bar.

4



Hook top panel to frame and channel bar.

5



Connect electrical prong to light strips.

6



Attach lights to velcro strip on panels.

7



Snake power cord from under frame and connect to light source.

Graphic Assembly

8



Locate purple hook on the top of the bubble panel.

9



Hook left side of purple hook into L bracket. Bend panel and repeat for the right side.

10



Display is complete.

Coyote accessory instructions - Tower

Assembly

1



Prepare frame for assembly.

2



Pull frame apart and lock green connectors.
*If lights are included continue with step 3,
if lights aren't included, skip to step 5.

3



Apply channel bars with metal light clips to center of frame.
*Make sure grey latches are on top. This indicates the center of frame when frame is standing.

4



If lights are included, attach lights to clips on channel bars. Then connect the cords to the lights.

Graphic Assembly

5



Stand and twist frames outward. Connect gray latches located in middle of frame. Apply channel bars to frame.

1



Apply graphic by hooking top of panel to the purple hook. Repeat for remaining graphic panels.

2



3



4

Display is complete

Coyote popup accessory instructions - Monitor Mount

Assembly

1



Assemble Coyote frame as directed on page 9.

2



Apply all graphic panels, excluding the center.

3



Attach vertical bar onto frame.

4



Lock the horizontal bar onto the vertical bar by tightening the screw into place.

5



Apply center graphic panel and make sure opening is at the top of the display.

6



Locate the monitor and attach the bracket on the back.

7



Attach the monitor bracket to the horizontal pole. Tighten in place.

8

Display is complete.



Coyote popup accessory instructions - Internal Shelf

Assembly

1



Assemble Coyote frame as directed on page 9.

2



Apply magnetic channel bars to frame.

3



Attach top and bottom graphic panels to frame.

4



Place black plastic panel in middle of frame on the bottom.

5



Insert a black plastic panel into the top of middle frame and hold in place.

6



While holding top siding in place, insert left vertical siding.
*Make sure the sides have grooves for shelf.

7



Continue holding the top shelf and insert right side. *Make sure the sides have grooves for shelf.

8



Place graphic panel on the back of the frame, behind middle opening to enclose the space.

Graphic Application

9



Insert clear shelving using the grooves on black plastic panels to hold in place.

10



Start attaching graphic panels, doing the end caps first then center graphics.

11

Display is complete.

Optional Light Kit

12

Includes:
2 puck lights, power cord & power adapter



Lights will come pre-installed in top of shelf kit.

Coyote popup OCP packing instructions



Roll counter wrap

Frame and foam pad







foam pad is added to bottom of case with graphics only.



Packing instructions

1. Roll counter wrap with plastic facing out and place inside the case against the outside wall.

2. Individually roll panels and place inside case until all panels are in the case and against the outside wall. (fabric to fabric/ magnet to magnet)

3. Pack channel bar into the storage bag. Then release magnetic locking arms to collapse the frame.

4. Place foam pad in bottom of case then pack frame and bag in the center.

5. Counter top snaps inside lid holding the lights in place.
*Allow lights to cool before packing.

Coyote popup OCP Elite packing instructions



Packing instructions

1. Insert channel bars upright into the holder in the bottom of the case. Slide the counter base into the case along the door side.

2. Place the counter top in the protective bag, then place it in the case along the side opposite the door.

3. Pack the frame next to the channel bar holder.

4. Place the wrapped panels between the counter base and counter top.

5. Roll up the case-to -counter outer panel. Secure it with rubber bands and insert it in the center of the wrapped panels into the well in the bottom of the case.

6. Slide the light carton between the frame and counter base.